

# INDIANA 2019–20

## Required and Recommended School Immunizations



GRADE	REQUIRED	RECOMMENDED
<b>Pre-K</b>	<ul style="list-style-type: none"> <li>• 3 Hepatitis B</li> <li>• 4 DTaP (Diphtheria, Tetanus &amp; Pertussis)</li> <li>• 3 Polio</li> </ul>	<ul style="list-style-type: none"> <li>• 1 Varicella (Chickenpox)</li> <li>• 1 MMR (Measles, Mumps &amp; Rubella)</li> </ul>
<b>K–5<sup>th</sup> grade</b>	<ul style="list-style-type: none"> <li>• 3 Hepatitis B</li> <li>• 5 DTaP</li> <li>• 4 Polio</li> </ul>	<ul style="list-style-type: none"> <li>• 2 Varicella</li> <li>• 2 MMR</li> <li>• 2 Hepatitis A</li> </ul>
<b>6<sup>th</sup>–7<sup>th</sup> grade</b>	<ul style="list-style-type: none"> <li>• 3 Hepatitis B</li> <li>• 5 DTaP</li> <li>• 4 Polio</li> <li>• 2 Varicella</li> </ul>	<ul style="list-style-type: none"> <li>• 2 MMR</li> <li>• 2 Hepatitis A</li> <li>• 1 MCV4 (Meningococcal)</li> <li>• 1 Tdap (Tetanus, Diphtheria &amp; Pertussis)</li> </ul>
<b>8<sup>th</sup>–11<sup>th</sup> grade</b>	<ul style="list-style-type: none"> <li>• 3 Hepatitis B</li> <li>• 5 DTaP</li> <li>• 4 Polio</li> <li>• 2 Varicella</li> </ul>	<ul style="list-style-type: none"> <li>• 2 MMR</li> <li>• 1 MCV4</li> <li>• 1 Tdap</li> </ul>
<b>12<sup>th</sup> grade</b>	<ul style="list-style-type: none"> <li>• 3 Hepatitis B</li> <li>• 5 DTaP</li> <li>• 4 Polio</li> <li>• 2 Varicella</li> </ul>	<ul style="list-style-type: none"> <li>• 2 MMR</li> <li>• 2 Hepatitis A</li> <li>• 2 MCV4</li> <li>• 1 Tdap</li> </ul>

**Hep B:** The minimum age for the 3rd dose of Hepatitis B is 24 weeks of age.

**DTaP:** 4 doses of DTaP/DTP/DT are acceptable if 4th dose was administered on or after child's 4th birthday.

**Polio\*:** 3 doses of Polio are acceptable for all grade levels if the 3rd dose was given on or after the 4th birthday and at least 6 months after the previous dose.

\*For students in grades K-9, the final dose must be administered on or after the 4th birthday and be administered at least 6 months after the previous dose.

**Varicella:** Physician documentation of disease history, including month and year, is proof of immunity for children entering preschool through 11th grade. Parental report of disease history is acceptable for grade 12.

**Tdap:** There is no minimum interval from the last Td dose.

**MCV4:** Individuals who receive dose 1 on or after the 16th birthday only need 1 dose of MCV4.

**Hep A:** The minimum interval between 1st and 2nd dose is 6 calendar months. 2 doses are required for grades K-7 and 12. For Pre-K and grades 8-11, 2 doses of Hep A are recommended.

**Indiana State Department of Health, Immunization Division | (800) 701-0704**



Number next to vaccine denotes the number of cumulative doses needed.

# INDIANA 2019–20

## Vacunas escolares requeridas y recomendadas



Grado	Requerida	Recomendada
<b>3 a 5 años de edad</b>	<ul style="list-style-type: none"> <li>• 3 Hepatitis B</li> <li>• 4 DTaP (Difteria, tétanos y tos ferina)</li> <li>• 3 Polio</li> </ul>	<ul style="list-style-type: none"> <li>• 1 Varicela</li> <li>• 1 MMR (Sarampión, paperas y rubéola)</li> </ul>
<b>Kinder a 5to. grado</b>	<ul style="list-style-type: none"> <li>• 3 Hepatitis B</li> <li>• 5 DTaP</li> <li>• 4 Polio</li> </ul>	<ul style="list-style-type: none"> <li>• 2 Varicela</li> <li>• 2 MMR</li> <li>• 2 Hepatitis A</li> </ul>
<b>6to. a 7mo. grado</b>	<ul style="list-style-type: none"> <li>• 3 Hepatitis B</li> <li>• 5 DTaP</li> <li>• 4 Polio</li> <li>• 2 Varicela</li> </ul>	<ul style="list-style-type: none"> <li>• 2 MMR</li> <li>• 2 Hepatitis A</li> <li>• 1 MCV4 (antimeningocócica)</li> <li>• 1 Tdap (Tétanos, difteria y tos ferina)</li> </ul>
<b>8vo. a 11vo. grado</b>	<ul style="list-style-type: none"> <li>• 3 Hepatitis B</li> <li>• 5 DTaP</li> <li>• 4 Polio</li> <li>• 2 Varicela</li> </ul>	<ul style="list-style-type: none"> <li>• 2 MMR</li> <li>• 1 MCV4</li> <li>• 1 Tdap</li> </ul>
<b>12vo. grado</b>	<ul style="list-style-type: none"> <li>• 3 Hepatitis B</li> <li>• 5 DTaP</li> <li>• 4 Polio</li> <li>• 2 Varicela</li> </ul>	<ul style="list-style-type: none"> <li>• 2 MMR</li> <li>• 2 Hepatitis A</li> <li>• 2 MCV4</li> <li>• 1 Tdap</li> </ul>

**Hep B:** La edad mínima para la tercera dosis de Hepatitis B es de 24 semanas.

**DTaP:** 4 dosis de DTaP/DTP/DT son aceptables si la 4ta. dosis se aplicó el día en que el niño cumple 4 años de edad o después.

**Polio\*:** 3 dosis de polio son aceptables para todos los grados si la tercera dosis se aplicó el día en que el niño cumple 4 años de edad o después y al menos 6 meses después de la dosis anterior.

\*Para los alumnos en Kinder a 9vo. grado, la dosis final se debe aplicar el día en que el niño cumple 4 años de edad o después, y al menos 6 meses después de la dosis anterior.

**Varicela:** La documentación del médico sobre el historial de enfermedades, que incluya mes y año, es prueba de inmunidad para los niños que ingresan a preescolar y hasta el 11vo. grado. La información por parte de los padres sobre el historial de enfermedades es aceptable para 12vo. grado.

**Tdap:** No existe intervalo mínimo para la última dosis de Td.

**MCV4:** Las personas que reciben la primera dosis después de cumplir 16 años de edad solo necesitan una dosis de MCV4.

**Hep A:** El intervalo mínimo entre la primera y la segunda dosis es de 6 meses calendario. Se requieren 2 dosis de Hep A para Kinder a 7mo. grado y 12vo. grado. De 3 a 5 años de edad y los grados 8vo. A 11vo., se recomiendan dos dosis de vacuna contra Hep A.

**División de Vacunas del Departamento de Salud del Estado de Indiana | (800) 701-0704**

El número junto a la vacuna indica la cantidad de dosis acumuladas necesarias.

